

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	application and data and receiving and converting and message and protocol and maximum and response and destination and address and format and compatible and "709".\$.ccls. and sending and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 09:03
S2	413	application and data and receiving and converting and message and protocol and maximum and response and destination and address and format and compatible and "709"/\$.ccls. and sending and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:18
S3	1	10/673941	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 09:04
S4	3	application and data and receiving and converting and message and protocol and maximum and response and destination and address and format and compatible and "709"/207.ccls. and sending and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:15
S5	6	application and data and receiving and ((converting near3 message) with format\$4) and protocol and maximum and response and (destination near3 address) and compatible and "709"/\$.ccls. and sending and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:39
S6	112	hettish.in. or virk.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:43

## EAST Search History

S7	0	(hettish.in. or virk.in.) and seimens.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:43
S8	37	(hettish.in. or virk.in.) and siemens.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:11
S9	6	(hettish.in. or virk.in.) and siemens.as. and conver\$4 and messag\$3 and destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:29
S10	3	(hettish.in. or virk.in.) and siemens.as. and (conver\$4 near3 messag\$3) and destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:30
S11	963	( "20010023445" "20030105812" "6108337" "5761282" "5524145" "5892753" "5644632" "7024460" "20030028606" "5734651" "5619645" "5644718" "4412285" "4884263" "5390169" "5583929" "6085224" "20050053050" "20060215695" "6212535" "5668860" "5761534" "4550398" "4540856" "5956344" "6044247" "5909493" "6064671" "5467344" RE36716 "5539807" "5909546" "6182139" "6195686" "4817127" "5563878" "6151137" "20060215697" "20070087766" "6912590" "4390750" "4858112" "6728885" "6879678" "6549617" "6675218" "5844970" "5864612" "6078733" ) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:17

## EAST Search History

S12	0	S11 and @ad<"20030929" and (((receiv\$3 near3 data) with applicat\$3) with messag\$3) and (destinat\$3 near3 address\$3) and (conver\$4 with format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:21
S13	65	@ad<"20030929" and (((receiv\$3 near3 data) with applicat\$3) with messag\$3) and (destinat\$3 near3 address\$3) and (conver\$4 with format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:21
S14	11	( "5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247" ) and @ad<"20030929" and (((receiv\$3 near3 data) with applicat\$3) with messag\$3) and (destination near3 address\$3) and ((conver\$4 near3 messag\$3) with format\$4) and (send\$3 near3 messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:01
S15	339	( "5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247" ) and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:45

## EAST Search History

S16	303	( "5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247" ) and protocol and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:46
S17	2	( "5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247" ) and protocol and @ad<"20030929" and (((receiv\$3 near\$3 data) with application) with messag\$3) and (send\$3 with destination with address\$3) and ((convert\$3 near\$3 messag\$3) with format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:20
S18	7	"6122671" and conver\$4 and messag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 15:47
S19	7	"6122671" and (data with messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:10
S20	5	"6122671" and (receiv\$3 with protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:10

## EAST Search History

S21	185	( "5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247" ) and (protocol same (reciev\$3 or address\$3 or provid\$3 or siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:32
S22	5	"709"/\$.ccls. and (protocol same (reciev\$3 and address\$3 and provid\$3 and siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:09
S23	0	(protocol same (reciev\$3 and (messag\$3 with address\$3) and provid\$3 and siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:50
S24	0	(protocol same reciev\$3) and (protocol same (messag\$3 with address\$3)) and (protocol same provid\$3) and (protocol same siz\$3) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:51
S25	2	(protocol same reciev\$3) and (protocol same (messag\$3 same address\$3)) and (protocol same provid\$3) and (protocol same siz\$3) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:51
S26	7714	"709"/\$.ccls. and (protocol same ((reciev\$3 near3 data) or ((destination or send\$3) near3 address\$3) or ((service near3 provid\$3) or isp) or (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:13

## EAST Search History

S27	0	"709"/\$.ccls. and (protocol same ((reciev\$3 near3 data) and ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:14
S28	0	(protocol same ((reciev\$3 near3 data) and ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:14
S29	1451	(protocol same ((reciev\$3 near3 data) and ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) or (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:15
S30	224	(protocol same ((reciev\$3 near3 data) and ((destination or send\$3) near3 address\$3) or ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:15
S31	121	(protocol same ((reciev\$3 near3 data) or ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:48
S32	10	((protocol same ((reciev\$3 near3 data) or ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) same messag\$3) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:48

## EAST Search History

S33	18	( "20030023710" "6704768" "20010037358" "20050055406" "6389462" "7024474" "20020156886" "20020156885" "6640248" "7003571" "6981047" "6546425" "20020147826" "20020124095" "20020052968" "20020042836" "20010016878" "20020026523" "20010034791" "6912588" "6954800" "20030120811" "7000031" "20020099854" "6877043" ) and @ad<"20030929" and ((incoming or outgoing ot type) near3 messag\$3) and ((destination or send\$3) near3 address\$3) and ((servic\$3 near3 provid\$3) or isp) and (maximum near3 siz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:03
S34	18	( "20030023710" "6704768" "20010037358" "20050055406" "6389462" "7024474" "20020156886" "20020156885" "6640248" "7003571" "6981047" "6546425" "20020147826" "20020124095" "20020052968" "20020042836" "20010016878" "20020026523" "20010034791" "6912588" "6954800" "20030120811" "7000031" "20020099854" "6877043" ) and @ad<"20030929" and ((incoming or outgoing ot type) near3 messag\$3) and ((destination or send\$3) near3 address\$3) and ((servic\$3 near3 provid\$3) or isp) and (maximum near3 siz\$3) and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:04
S35	10252	smtp or sendmail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:53
S36	10027	smtp or sendmail and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:53

## EAST Search History

S37	10027	smtp or sendmail and "709"/2\$2. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:59
S38	9908	smtp or sendmail and "709"/207. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:04
S39	9905	smtp or sendmail and "709"/204. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:05
S40	9906	smtp or sendmail and "709"/205. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:05
S41	9903	smtp or sendmail and "709"/208. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06
S42	9907	smtp or sendmail and "709"/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06
S43	9907	smtp or sendmail and 709/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06



## EAST Search History

S44	185	(smtp or sendmail) and 709/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06
S45	195	(smtp or sendmail) and 709/207. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06
S46	124	(smtp or sendmail) and 709/204. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S47	88	(smtp or sendmail) and 709/200. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S48	110	(smtp or sendmail) and 709/201. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S49	125	(smtp or sendmail) and 709/202. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S50	547	(smtp or sendmail) and 709/203. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07

## EAST Search History

S51	124	(smtp or sendmail) and 709/204. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S52	66	(smtp or sendmail) and 709/205. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S53	1211	(smtp or sendmail) and 709/206. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S54	195	(smtp or sendmail) and 709/207. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S55	15	(smtp or sendmail) and 709/208. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S56	9	(smtp or sendmail) and 709/209. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S57	0	(smtp or sendmail) and 709/210. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07

## EAST Search History

S58	4	(smtp or sendmail) and 709/211. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S59	10	(smtp or sendmail) and 709/212. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S60	32	(smtp or sendmail) and 709/213. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S61	6	(smtp or sendmail) and 709/214. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S62	4	(smtp or sendmail) and 709/215. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S63	9	(smtp or sendmail) and 709/216. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S64	330	(smtp or sendmail) and 709/217. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08

## EAST Search History

S65	133	(smtp or sendmail) and 709/218. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S66	290	(smtp or sendmail) and 709/219. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S67	130	(smtp or sendmail) and 709/220. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S68	35	(smtp or sendmail) and 709/221. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S69	27	(smtp or sendmail) and 709/222. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S70	368	(smtp or sendmail) and 709/223. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S71	442	(smtp or sendmail) and 709/224. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08

## EAST Search History

S72	188	(smtp or sendmail) and 709/225. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S73	130	(smtp or sendmail) and 709/226. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S74	260	(smtp or sendmail) and 709/227. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S75	143	(smtp or sendmail) and 709/228. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S76	203	(smtp or sendmail) and 709/229. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S77	185	(smtp or sendmail) and 709/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S78	63	(smtp or sendmail) and 709/231. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09

## EAST Search History

S79	82	(smtp or sendmail) and 709/232. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S80	19	(smtp or sendmail) and 709/233. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S81	13	(smtp or sendmail) and 709/234. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S82	23	(smtp or sendmail) and 709/235. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S83	39	(smtp or sendmail) and 709/236. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S84	29	(smtp or sendmail) and 709/237. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S85	177	(smtp or sendmail) and 709/238. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10

## EAST Search History

S86	31	(smtp or sendmail) and 709/239. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S87	14	(smtp or sendmail) and 709/240. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S88	4	(smtp or sendmail) and 709/241. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S89	20	(smtp or sendmail) and 709/242. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S90	6	(smtp or sendmail) and 709/243. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S91	12	(smtp or sendmail) and 709/244. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S92	174	(smtp or sendmail) and 709/245. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10

## EAST Search History

S93	12	(smtp or sendmail) and 709/244. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S94	174	(smtp or sendmail) and 709/245. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S95	171	(smtp or sendmail) and 709/246. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S96	24	(smtp or sendmail) and 709/247. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S97	27	(smtp or sendmail) and 709/248. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S98	92	(smtp or sendmail) and 709/249. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S99	70	(smtp or sendmail) and 709/250. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11



## EAST Search History

S10 0	15	(smtp or sendmail) and 709/251. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S10 1	1	(smtp or sendmail) and 709/252. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S10 2	5	(smtp or sendmail) and 709/253. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:12
S10 3	1211	(smtp or sendmail) and 709/206. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:13
S10 4	1131	(smtp or sendmail) and 709/206. ccls. and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:16
S10 5	1129	(smtp or sendmail) and 709/206. ccls. and protocol and ((outgoing or outbound or sent or send\$3) or ((destination or recipient) near3 address\$3) or ((incoming or inbound or recei\$4) with address\$3) or (isp or (servic\$3 near3 provid\$3)) or (maximum near3 siz\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:34

## EAST Search History

S10 6	714	(smtp or sendmail) and 709/206.ccls. and protocol and ((outgoing or outbound or sent or send\$3) or ((destination or recipient) near3 address\$3) or ((incoming or inbound or recei\$4) with address\$3) or (isp or (servic\$3 near3 provid\$3)) or (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:34
S10 7	11	(smtp or sendmail) and 709/206.ccls. and protocol and ((outgoing or outbound or sent or send\$3) and ((destination or recipient) near3 address\$3) and ((incoming or inbound or recei\$4) with address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:38
S10 8	17	709/206.ccls. and protocol and ((outgoing or outbound or sent or send\$3) and ((destination or recipient) near3 address\$3) and ((incoming or inbound or recei\$4) with address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:47
S10 9	13	709/206.ccls. and protocol and ((outgoing or outbound or sent or send\$3) and ((destination or recipient) near3 address\$3) and ((incoming or inbound or recei\$4) near3 address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:48
S11 0	10	709/206.ccls. and protocol and (((outgoing or outbound or sent or send\$3) with ((destination or recipient) near3 address\$3)) and ((incoming or inbound or recei\$4) near3 address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:49

## EAST Search History

S11 1	1	709/206.ccls. and (protocol same (((outgoing or outbound or sent or send\$3) with ((destination or recipient) near3 address\$3)) and ((incoming or inbound or recei\$4) near3 address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:50
S11 2	5	(protocol same (((outgoing or outbound or sent or send\$3) with ((destination or recipient) near3 address\$3)) and ((incoming or inbound or recei\$4) near3 address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:06
S11 3	1	(protocol same (((outgoing or outbound or sent or send\$3) with (messag\$3 or email or e-mail)) with ((destination or recipient) near3 address\$3)) and (((incoming or inbound or recei\$4) near3 address\$3) with (messag\$3 or email or e-mail)) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:10
S11 4	1	(protocol same (((outgoing or outbound or sent or send\$3) with (messag\$3 or email or e-mail)) with ((destination or recipient) near3 address\$3)) and (((incoming or inbound or recei\$4) with address\$3) with (messag\$3 or email or e-mail)) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:11
S11 5	73	(protocol and (((outgoing or outbound or sent or send\$3) with (messag\$3 or email or e-mail)) with ((destination or recipient) near3 address\$3)) and (((incoming or inbound or recei\$4) with address\$3) with (messag\$3 or email or e-mail)) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:23

## EAST Search History

S11 6	1	(protocol same (((outgoing or outbound or sent or send\$3) with (messag\$3 or email or e-mail)) with ((destination or recipient) near3 address\$3)) and (((incoming or inbound or recei\$4) with address\$3) with (messag\$3 or email or e-mail)) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:24
S11 7	8	("6122671" or "6993026") and (isp or (servic\$3 near3 provid\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:44
S11 8	1	("6122671" or "6993026") and (conver\$4 with messag\$3) and format and compatible and (maximum with siz\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 11:57
S11 9	1	("6122671" or "6993026") and (conver\$4 with messag\$3) and format and compatible and ((max\$4 or exce\$5) with siz\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 12:46
S12 0	2	"6993026" and ((max\$4 or exce\$5) with siz\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 12:08
S12 1	1	("6122671" or "6993026") and ((send\$3 same respon\$4 same messag\$3) and deliver\$3 and destination and address\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:08
S12 2	1	(10/673941) and (first and second and third and fourth)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 14:33
S12 3	17885	@ad<"20030929" and ((first and second and third and fourth) near3 (data\$4 or messag\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 14:36
S12 4	997	@ad<"20030929" and ((first and second and third and fourth) near3 (data\$4 or messag\$3)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 14:38
S12 5	16	@ad<"20030929" and ((first and second and third and fourth) near3 (data\$4 or messag\$3)) and "709"/207.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 14:39

## EAST Search History

S12 6	5	("6122671" or "6993026" or "7058087") and (("not" or fail\$3 or error) near4 (deliver\$3 or messag\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:10
S12 7	5	("6122671" or "6993026" or "7058087") and (("not" or fail\$3 or error or notif\$7) near4 (deliver\$3 or messag\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:40
S12 8	9	("6122671" or "6993026" or "7058087") and (protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/06 10:41
S12 9	8	("6122671" or "6993026" or "7058087") and (protocol with (establish\$3 or messag\$3 or send\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/06 14:08
S13 0	3	"6122671" and (send\$3 with address\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/06 14:08